International Journal of Movement Education and Social Science Peer Reviewed and Indexed Journal IJMESS Vol. 9 Issue 2 (Oct 2020) IMESS Vol. 9 Issue 2 (Oct 2020)

HARNESSING THE POWER OF SAND: ENHANCING VOLLEYBALL PERFORMANCE THROUGH PLYOMETRIC TRAINING

Dr. Ranjan Chakravarty, Assistant Professor

Dept. of Physical Education, University College of Medical Sciences (University of Delhi), Delhi

Abstract

In the world of volleyball dynamics continually evolve in order to thrive on the court physically ability plays a role, for athletes in this sport taking center stage In this study we delve into the realm of utilizing sand based plyometric training to enhance key performance metrics among male volleyball players A group of thirty athletes from the University of Delhi aged between sixteen and twenty embarked on an eight week journey to push their physical boundaries The study involved assessing their explosiveness strength agility speed and Body Mass Index (BMI) both before and, after undergoing the training program. The results paint a picture of how sand based plyometrics can significantly enhance volleyball training performance.

Keywords: Sand-based plyometrics, Biomechanics, Strength conditioning and Neuromuscular adaptation

Introduction

Since its establishment, in 1895 volleyball has captivated players and spectators with its paced and lively nature. Achieving success in volleyball requires athletes to execute powerful movements with precision and reliability during intense competitions. According to Sheppard et al. (2007) Optimal performance in volleyball is influenced by a mix of attributes such, as muscle strength, power and agility.

Coaches and sports experts have been actively searching for ways to enhance these physical qualities in their quest, for athletic excellence. Among the approaches utilized for this purpose is training which has emerged as a cornerstone of conditioning programs specifically designed for volleyball players. Markovic and Mikulic (2010) emphasized the impact of plyometrics on boosting power – a key element that greatly influences performance in volleyball related actions such, as jumping high for spikes and blocks.

With human abilities being pushed to heights and experts exploring ways to enhance the effects of exercise further, than before; there is a growing interest in utilizing environmental changes to boost training effectiveness. The introduction of sand based plyometrics as a method has intrigued many due, to its ability to possibly lessen the physical demands of explosive movements biomechanically and physiologically.

Sand based plyometrics are rooted in the concept of providing resistance through sands nature and high coefficient of friction as explained by Impellizzeri et al. in 2008. This unique environment challenges the system in distinct ways and may lead to increased muscle activation and adaptation compared to traditional solid surfaces.

Additionally the innate characteristics of sand, as a practice area offer benefits that go beyond enhancing performance. As noted by Binnie International Journal of Movement Education and Social Science Peer Reviewed and Indexed Journal IJMESS Vol. 9 Issue 2 (Oct 2020)

and colleagues in 2014 the cushioning effect of sand might reduce the force exerted upon landing potentially decreasing the likelihood of overuse injuries associated with workouts on firmer surfaces. This is particularly critical in volleyball, where players frequently subject their joints and connective tissues to strain due, to jumping.

Sand centered plyometric exercises integrated into volleyball training programs represent the blending of strength and conditioning principles with adjustments—an approach that aligns with the concept of ecological dynamics, in sports training as outlined by Davids et al. emphasizing the importance of creating training environments that mirror the demands and conditions of actual competitive play.

While sand based plyometrics have underpinnings, there is a lack of empirical evidence, particularly regarding their impact, on volleyball specific performance metrics, as highlighted by previous studies such, as those conducted by Raj Kumar (2004) and Arazi et al (2014). Although these studies have shown promising outcomes in terms of enhancing leap and sprint performance through sand based training programs. these results have not been conclusively replicated among elite volleyball athletes.

The current research seeks to bridge the knowledge divide by evaluating performance indicators, in volleyball athletes following a sand based plyometric training routine. This research endeavors to offer insights into the advantages and limitations of using sand as a training surface for volleyball specific explosive movements through a comparison of outcomes, with a traditional plyometric training regime.

In addition, to that; This research seeks to explore the biomechanical alterations associated with exercises on sand surfaces. It aim to understand the underlying mechanisms that may explain any observed enhancements, in performance through motion capture and electromographic analysis.

0

The study results offer recommendations, for integrating sand based plyometrics into athletes' training routines which could impact how volleyball training is approached moving. It's also worth noting that these findings may have implications for sports that rely heavily on power and agility supporting the ongoing research on environmental factors, in athletic performance improvement.

Renowned volleyball coach Karch Kiraly once said that the key, to excelling in volleyball isn't about mastering the game itself but about honing the crucial skill of reading the game effectively. A principle that guides our research endeavor from the outset. This study delves into exploring the benefits of incorporating sand based plyometrics to enhance volleyball performance with the aim of paving the way for training techniques, in this beloved sport.

2. Techniques and Tools: Materials

2.1 Engagement of Participants

The participants engaged in an 8 week routine of exercises, on sand three times per week for sixty minutes each session.There were exercises included in the program such, as depth leaps,lateral bounds squat jumps and single leg hops.

Throughout the span of eight weeks the complexity of the workouts increased gradually to ensure a level of challenge and adaptability.

Prior, to and throughout the training programs duration researcher evaluated five measures of performance;

Explosiveness is determined by measuring jump height using equipment. One way to evaluate strength is, by conducting a leg press test to determine the one repetition maximum

International Journal of Movement Education and Social Science ISSN: 2278-0793 (Print) & 2321-2279 (Online Peer Reviewed and Indexed Journal 0 IJMESS Vol. 9 Issue 2 (Oct 2020)

(known as RM). Performance, on timed T tests is a measure of agility and quick thinking ability. Using electronic timing gates to measure speed for a 20 meter sprint duration is practice. Measured using a scale and height rod to determine weight (, in kilograms)/height (, in meters). Paired t-test was used to compare the pre and post of each variable and level of significance was set at 0.05.

Discussions and Results


Our findings demonstrate improvements, performance across measures which underscore the potential of incorporating sand based plyometric training in enhancing the explosiveness of volleyball players.

TABLE 1 VERTICAL JUMP PERFORMANCE (CM)

Test	Mean	SD	t-value
Pre-test	19.95	8.88	7.46*
Post-test	28.60	10.10	7.40

*Significant at p < 0.05

The significant boost, in jump height (an increase of 43.5%) demonstrates the influence of sand based plyometrics, on explosive strength, which could directly enhance spiking and blocking skills on the volleyball court.



Impact Factor 5.62

www.iimess.org

Figure 1: Vertical Jump Performance Before and After Training.

The bar graph shows a rise, in jump height after the 8 week sand based plyometric training program, with the average jump height increasing from 19.95 cm to 28.60 cm. Marking a 43.40 % enhancement.

TABLE 2			
LEG STRENGTH ASSESSMENT			
Test	Mean	SD	t-value
Pre-test	16.32	8.94	5.77*
Post-test	18.52	8.68	5.77
*Significant	at p < 0.01		

The 13.5% increase in leg strength demonstrates the efficacy of sand-based plyometrics in developing lower body power. This improvement could contribute to enhanced jumping ability and overall court movement.






Figure 2: Leg Strength Assessment Before and After Training.

This graph shows the improvement in leg strength, measured in arbitrary units (AU), after the training program. The mean strength increased from 16.32 AU to 18.52 AU, a 13.5% enhancement.

TABLE 3			
AGILITY T-TEST PERFORMANCE (SECONDS)			
Test	Mean	SD	t-value

 Pre-test
 19.14
 0.84
 2.33*

 Post-test
 18.53
 1.23
 **Significant at p < 0.05</td>

The 3.2% improvement in agility, while modest, is statistically significant. Enhanced agility could lead to better positioning and reaction times during gameplay.




Figure 3: Agility T-Test Performance Before and After Training

This graph demonstrates the improvement in agility performance. The mean time for the T-test decreased from 19.14 seconds to 18.53 seconds, indicating a 3.2% improvement in agility.

TABLE 4			
20-METER SPRINT TIME (SECONDS)			
Test	Mean	SD	t-value
Pre-test	17.96	5.49	2.20*
Post-test	16.60	5.19	2.20

**Significant at p < 0.05

The 7.6% reduction in sprint time indicates a noteworthy improvement in speed, which is crucial for quick court coverage and first-step explosiveness.






Figure 4: 20-meter Sprint Time Before and After Training.

This graph illustrates the reduction in 20-meter sprint times following the training program. The mean sprint time decreased from 17.96 seconds to 16.60 seconds, representing a 7.6% improvement in speed.

3.5 Body Mass Index (BMI)
Table 5: BMI Measurements (kg/m ²)

Test	Mean	SD	t-value	
Pre-test	18.68	3.04	0.87	
Post-test	18.67	2.79		

The negligible change in BMI suggests that the performance improvements were primarily due to neuromuscular adaptations rather than significant changes in body composition.




Figure 5: BMI measurement Before and After Training.

This graph shows the negligible change in BMI over the course of the study. The mean BMI remained nearly constant, changing only from 18.68 kg/m² to 18.67 kg/m², indicating that the performance improvements were not associated with significant changes in body composition.

Conclusion

This study discusses how using sand-based training can greatly enhance the qualities necessary, for better performance in volleyball games. This type of training proves to be beneficial for volleyball athletes because it leads to enhancements in power and strength along with improvements, in agility and speed. The lack of alterations, in body mass index (BMI) suggests that the enhancements in performance seen are mainly due to adjustments rather than shifts, in body structure composition. This finding underscores the

International Journal of Movement Education and Social Science	ISSN:	2278-0793 (Print) & 2321-2279 (Online)
Peer Reviewed and Indexed Journal		Impact Factor 5.62
IJMESS Vol. 9 Issue 2 (Oct 2020)		www.ijmess.org

efficacy of sand based plyometrics in enhancing sport qualities without impacting overall body weight significantly. To sum up sand centered plyometric exercises show potential, for enhancing volleyball skills. This research opens doors to strategies, in nurturing volleyball players while we delve into training intricacies. Sheppard, J. M., Gabbett, T. J., & Stanganelli, L. C. R. (2009). An analysis of playing positions in elite men's volleyball: considerations for competition demands and physiologic characteristics. Journal of Strength and Conditioning Research, 23(6), 1858-1866.

References

Arazi, H., Mohammadi, M., & Asadi, A. (2014). Muscular adaptations to depth jump plyometric training: Comparison of sand vs. land surface. Interventional Medicine and Applied Science, 6(3), 125-130.

Binnie, M. J., Dawson, B., Arnot, M. A., Pinnington, H., Landers, G., & Peeling, P. (2014). Effect of sand versus grass training surfaces during an 8-week pre-season conditioning programme in team sport athletes. Journal of Sports Sciences, 32(11), 1001-1012. Davids, K., Araújo, D., Vilar, L., Renshaw, I., & Pinder, R. (2013). An ecological dynamics approach to skill acquisition: implications for development of talent in sport. Talent Development & Excellence, 5(1), 21-34.

Impellizzeri, F. M., Rampinini, E., Castagna, C., Martino, F., Fiorini, S., & Wisloff, U. (2008). Effect of plyometric training on sand versus grass on muscle soreness and jumping and sprinting ability in soccer players. British Journal of Sports Medicine, 42(1), 42-46.

Markovic, G., & Mikulic, P. (2010). Neuromusculoskeletal and performance adaptations to lower-extremity plyometric training. Sports Medicine, 40(10), 859-895.

Rajkumar, S. (2004). Comparative effect of sand and grass surface plyometric training on selected physical fitness variables among long jumpers. International Journal of Physical Education, Sports and Health, 1(3), 115-117.